

tierTM

Fabulous, functional, forever.

www.tierflooring.com

MORE THAN
just beauty

TIERTM LUXURY SPC INDOOR FLOORING

A PRODUCT BY **EVA-LAST**[®]
INSPIRED BY NATURE, DESIGNED FOR LIFE.



LOVE *your floors*

Love how you live with hassle-free flooring. TIER™ indoor flooring offers charming natural aesthetics without the drawbacks of traditional wood flooring. TIER™ technology provides greater protection against moisture, scratches and stains than other indoor flooring products.


Enjoy the aesthetics of wood thanks to the specialised embossed wear layer of TIER™, and the durability, scuff resistance and eco-conscious engineering of a product that far outperforms other indoor flooring.

TIER™ makes your life and you home simpler, greener and more beautiful.

TIERS OF TIER™

LUXURY SPC INDOOR FLOORING

With CarbideCore technology



BENEFITS



HEAT RESISTANT

The core layer can tolerate temperatures of up to 70°C without adverse effects. This means that when one part of your floor is exposed to direct sunlight and the other part is in shade, the areas behave similarly. The benefit to you is that you will not see warping, bending or buckling - even in sunny areas.



WATER RESISTANT

The materials which make up the layers of TIER™ flooring are each highly resistant to moisture absorption. The stability of TIER™ flooring means the click joint system forms a snug, watertight fit. The benefit to you is that TIER™ flooring will not allow a spill to penetrate beneath your flooring and will not absorb water, swell, or buckle.



STABLE

The mineral component of the core stabilises it. It will not change shape or size under different temperature and moisture conditions, and it will not react with typical household chemicals. The benefit to you is that TIER™ flooring is safe in your home. This stability allows you to install TIER™ flooring without expansion gaps on areas up to 200 m², even between adjacent rooms.



SOUND SUPPRESSION

The composite layers of TIER™ flooring give it unusually high sound reduction for all types of noise. The vinyl outer layer is soft under impact such as hard shoes. The dense rigid core resists received sound such as conversation or loudspeakers. The foam underlay suppresses the transmission of sound into the building. Most materials are unsuitable for extensive sound suppression. TIER™ flooring is an unusual combination of materials which reduces noise in the room and sound transferred to the structure.



CLICK INSTALLATION

The core composite layer is machined to exact standards. The stability of this composite means that the shape and size of these precise parts remains consistent. The benefit to you is that TIER™ flooring is easy to install. The edges will not wear away against each other or deform over time.



ANTIMICROBIAL PROTECTION

The foamed underlay of the TIER™ indoor floorboard is coated using an antimicrobial additive. This inhibits the growth of a wide range of microorganisms. The benefit to you is a fresh, clean, and protective floor.



VOC FREE

The core is a mineral-vinyl composite which uses no glues. It will therefore not emit VOCs into your home or office. When adding the foamed base and the surface wear layer, we strictly use only VOC free adhesives. The benefit to you is comfort in knowing that TIER™ flooring brings none of these dangerous chemicals into your home and work environments.



RIGID

The core layer is an extruded composite of powdered minerals and vinyl. The result is a new mineral polymer composite material which is extremely rigid. The benefit to you is that TIER™ flooring has a mixture of the characteristics of a ceramic tile and a vinyl floor.

APPLICATIONS

FLOOR BOARDS *to love and live on*

TIER™ is designed for versatility as well as durability. TIER™ can be applied to any room in your house or commercial space. Let the good looking, low-maintenance and high-performance features of TIER™ enhance the appeal of your home or business.




CLICK SYSTEM PROFILES

TIER™ flooring is made from a reliable and rigid Stone Plastic Composite (SPC) core for added strength and longevity. The core layer is an innovative material which can be machined to exact standards, making for easy installation. The result is robust edges which will not wear away against each other or deform over time.



EASY INSTALLATION

Installing TIER™ slip groove flooring is quick and easy thanks to the simplified click installation system that creates a watertight, seamless finish. For details, visit the website www.tierflooring.com and download the care and installation guides.



TIER™ flooring is expertly engineered to elevate the functionality and aesthetics of your indoor space. With TIER™, your flooring can be both practical and elegant.

TIER™ is available in convenient tongue-and-groove “click” profiles. The click system TIER™ profile allows you to easily slide and click boards into one another to create a secure, continuous installation surface. This rigid, floating system allows for quick and easy installation and comes standard with a pre-applied IXPE underlay backing.



SPECIFICATIONS: 4.7 mm

Core thickness (mm)	Dimensions (mm)	Boards per box
3.20	181 x 1 220	12
Underlay thickness (mm)	Thickness (mm)	Mass per board (kg)
1.00	4.70	1.52
Wear layer thickness (mm)	m ² per board	m ² per box
0.50	0.22	2.64
Wear layer type	Click system	
Engineered polymer	4-sided micro bevel	

SPECIFICATIONS: 5.5 mm

Core thickness (mm)	Dimensions (mm)	Boards per box
3.50	181 x 1 220 228 x 1 220	10
Underlay thickness (mm)	Thickness (mm)	Mass per board (kg)
1.50	5.55	181 - 1.65 228 - 2.28
Wear layer thickness (mm)	m ² per board	m ² per box
0.55	181 - 0.22 228 - 0.278	181 - 2.21 228 - 2.78
Wear layer type	Click system	
Engineered polymer	Yes	

WARRANTY CLASSES


Light Industrial	Heavy Commercial	Heavy Domestic
5 YEAR WARRANTY	10 YEAR WARRANTY	30 YEAR WARRANTY
Abrasion class* AC5	Abrasion class* AC5	Abrasion class* AC5
Use class** 23	Use class** 33	Use class** 42

*As defined in BS EN 13329

**As defined in BS EN ISO 10582

COLOURS AND STYLES

TIER™ flooring is designed to be beautiful and livable. TIER™ is available in a wide range of natural colours and tones that embody the look of wooden flooring, without the upkeep hassles or environmental strain. They're engineered to last, and tastefully created to enhance the look as well as the functionality of your home. Choose the style and colour that make your floors a standout feature.



Live Oak Gold



Reclaimed Fir Tabby



Reclaimed Barn Fir



Live Oak Nero



Live Oak Natural



Reclaimed Fir Steel



Restored Fir Sliver



Washed Oak Cream



Washed Oak Caramel



Rustic Oak Grey




Rustic Oak Natural



Catalpa Wood Grey



Washed Oak Pecan



Polished Hickory Steel



Polished Hickory Olive



Polished Hickory Grey



Washed Oak Beige



Washed Oak Grey



Washed Oak Olive



Washed Oak Natural



Washed Oak Blonde



Knotty Maple Natural



Knotty Oak Dove



Knotty Oak Barley



Knotty Oak Wheat



Fine Oak Taupe



Eucalyptus Natural



Plain Red Oak Natural



Knotty Oak Rye



LOVE *your floors*

Choose quality alternatives to timber that improve your lifestyle and the environment.

TIER™ is setting the benchmark for eco flooring and green manufacturing processes. TIER™ high performance products are created using solar energy and are an ultra-low maintenance, water resistant alternative to timber. With TIER™ indoor flooring you make a positive impact on your home and the Earth.



Made with solar energy

TIER™ flooring is manufactured using solar power. This greatly reduces its carbon footprint to help protect the Earth and brings you peace of mind.



Euroclass B_{FI} - s1

TIER™ flooring has the highest fire resistance rating possible in its class, making it a safer and more reliable product for your residential or commercial application.



Forest Stewardship Council (FSC) certification ensures that products come from responsibly managed forests that provide environmental, social and economic benefits. The diverse fauna and flora who share our forests are given the time and space to recover from our use of their environments.



Fabulous, functional, forever.



by SCS Certified

Contact Tel: +27 10 593 9221 | E-mail: info@tierflooring.com

www.tierflooring.com