

# eva-last®

INSPIRED BY NATURE, DESIGNED FOR LIFE.



## SUSTAINABLE BUILDING MATERIALS CATALOGUE



Intertek



[www.eva-last.com](http://www.eva-last.com)



**LOW ENVIRONMENTAL IMPACT**  
Sustainable manufacturing & use of raw material



# INDEX

High quality, low-maintenance bamboo composite products, building systems, and luxury SPC indoor flooring.

**07-71**



**72-81**



**82-89**



**90-95**



## DECKING

Eva-Last composite decking is designed to make any outdoor area more beautiful and more enjoyable. Choose from our three specialised bamboo composite decking brands.

## CLADDING

VistaClad bamboo composite cladding breathes vibrancy into your home or office space and enhances your walls with the attractive look of natural hardwoods.

## FENCING

Evolver fence is a versatile fencing system available in several Eva-Last material technologies and a variety of looks and styles.

## DECORATIVE BALUSTERS

Eva-Last composite balusters add beauty and function to your outdoor space and can be used as screening, railing (newels), pergolas, or other creative exterior accents.

### Disclaimer:

Although we make every effort to ensure the information contained in this catalogue is accurate, we are not responsible for any errors or misprint that occurs and we are not responsible for any damage or liability that result from the use (or misuse) of the information. In the event that an error does occur, we reserve the right to correct, or make changes to, this information at any time.

**96-107**

**108-113**

**114-127**

**128-143**



## **ARCHITECTURAL BEAMS**

Lifespan hybrid aluminium composite beams give you the creative freedom to build more memorable outdoor pergolas, screens, and other architectural design features.

## **RAILING**

Choose from Infinity or Eva-tech composite material for your RapidRail balustrade. RapidRail is a low-maintenance, eco-friendly alternative to timber railing, offering efficient installation.

## **DECK FASTENERS**

HULK Fasteners offer higher performance and are a more efficient and discreet way to secure your decking without disrupting its final look.

## **INDOOR FLOORING**

TIER luxury stone plastic composite flooring is more liveable, more beautiful, and easier to maintain than traditional flooring options.

### **Disclaimer:**

Span data provided herein is indicative based on specific test load conditions (refer to your product Technical Data Sheet). Dimensional and mass data provided herein is indicative based on typical production and may vary with manufacture and material tolerance. Before installing any Eva-Last product, ensure that the application is rational and complies with the local regulations and building codes. Wherever necessary, consult a suitably qualified professional.



## A BRAND YOU CAN TRUST

Eva-Last is a globally reputable brand that utilises a solution driven business model to create innovative, sustainable building materials and systems that add value to customers' lives. At the heart of Eva-Last is a team of highly capable, creative specialists united by a passion to promote environmental consciousness through eco-friendly building products and operations. By embracing low environmental impact manufacturing and cutting-edge composite technology, Eva-Last is revolutionising how building can be done. We design and deliver beautiful, long-lasting green alternatives that make our customers' lives easier, healthier, and just plain better.

## THE HASSLE-FREE ALTERNATIVE TO WOOD

Eva-Last composite offers the beauty of timber, but in a hassle-free, durable option that's longer lasting, virtually maintenance free, and eco-friendly. Cutting-edge engineering is bringing even greater structural advancements and lifestyle benefits to composite, and thoughtful detail to aesthetics now gives it an even more natural appearance in an expanded range of products, colours, and textures.

## PRODUCT CATEGORIES



DECKING | CLADDING | FENCING | RAILING | ARCHITECTURAL BEAMS | FASTENERS | INDOOR FLOORING

Eva-Last technologies create endless possibilities for the design and overall function of your outdoor space. Visit our website, [www.eva-last.com](http://www.eva-last.com), for inspiration and find out more about which composite product will suit your needs best.





Featured: **Lifespan beams, Rusteak**  
Hybrid aluminium composite beam (150 x 50 mm)

PHOTOGRAPHY CREDIT: CHRIS SCOTT | COPYRIGHT  
© SCOTTY PHOTOGRAPHY





## LOW ENVIRONMENTAL IMPACT

Holistically sustainable manufacturing & use of raw materials

When you choose Eva-Last, you're choosing the best solution for both you and the environment. Eva-Last products are the low-maintenance, reliable alternative to wood that consistently outperform timber and other composite materials. They're also the environmentally friendly material choice that is gentler on the Earth.



### BAMBOO WASTES LESS & PROVIDES MORE

Eva-Last uses bamboo in its composite production. Bamboo can grow up to 50 times faster than timber and releases 35 percent more oxygen into our air than most hardwood trees. It can be made into composite with only 2 percent wastage (compared to over 80 percent wastage with timber), and is naturally antibacterial.



### USE OF RECYCLED PLASTIC

By using recycled waste plastics, in combination with easily replenishable bamboo fibre, we are able to produce a highly durable composite product while saving millions of tons of plastic from entering landfills and oceans. Every year Eva-Last recycles over 26000 tons of plastic. Recycling one ton of plastic results in carbon dioxide savings of approximately 0.73 tons – the same as travelling 4 000 km in a car.




### USE OF SOLAR POWER IN THE MANUFACTURING PROCESS

Traditional manufacturing is an energy-intensive endeavour. That's why Eva-Last took the decision to start moving towards manufacturing using solar energy. Since 2017, 32 858 solar panels, or 88 716 m<sup>2</sup> of solar panels, have been installed. This leads to a saving of 2 000 tons of CO<sub>2</sub>, every single day.

Eva-Last has been at the forefront of the green building industry since its inception in 2007. We are dedicated to consistently improving how we serve the environment and our clients. From the recycled and renewable raw ingredients we use to create our products, to the solar power we harness to manufacture, we are proud to offer holistically sustainable building products.

**Holistically sustainable building products, from a globally reputable brand**





Featured: **Eva-tech IS, Savanna**  
Single sided grooved decking and trim fascia

# TECHNOLOGIES

Eva-Last has developed a resilient collection of bamboo composite technologies, each with its own unique characteristics and set of benefits. These versatile materials can be used in a variety of applications such as decking, cladding, screening, railing, and architectural beams.



## Pioneer

### REINFORCED BAMBOO FOAMED-PVC COMPOSITE

Pioneer offers photorealistic print technology for a remarkable natural look and a glass fiber-reinforced core for increased strength.



## Apex<sup>®</sup>

### CAPPED BAMBOO FOAMED-PVC COMPOSITE

The Apex range boasts an exceptionally natural looking dual-tone finish and is also available in reinforced Apex PLUS for increased strength.



## Infinity<sup>®</sup>

### CAPPED BAMBOO COMPOSITE

Infinity leads the Eva-Last technology range in durability with a resilient polymer capping, and bamboo composite core.



## Eva-tech<sup>®</sup>

### BAMBOO COMPOSITE

Eva-tech, the time-tested original Eva-Last range, is the most cost-effective bamboo composite available.



# EVA-LAST®

BAMBOO COMPOSITE DECKING

## BAMBOO COMPOSITE DECKING

Featured: Infinity IS, Swiss Oak  
Single sided grooved and square edge decking



# Pioneer

## REINFORCED BAMBOO FOAMED-PVC COMPOSITE


Pioneer composite brings to market a photorealistic print technology which creates the most natural looking composite finish available in the Eva-Last range. A bamboo foamed-PVC and glass fiber-reinforced core provides increased strength and span capability meaning less substructure is required. It also reduces expansion and contraction of the PVC even in the harshest weather environments. The advanced wear layer protects against fading, scratches, moisture, and stains, and requires only basic cleaning for optimal longevity. Pioneer offers an eco-friendly alternative to timber that prevents deforestation and premature deck replacement and uses solar power within the manufacturing process.

**GFR** | GLASS FIBER  
REINFORCED

### PRODUCT COMPOSITION

## Pioneer

Pioneer offers a reinforced core and a photorealistic print surface finish with a clear outer wear layer which provides extra protection for the colour and resiliency of the board.



#### Capping material:

Print surface finish with protective wear layer

#### Core material:

Bamboo foamed-PVC with glass fiber-reinforced core

**GFR** | GLASS FIBER  
REINFORCED



FSC certified bamboo composite product







For more information on Pioneer visit [www.eva-last.com](http://www.eva-last.com)



# TAKE HOME THE BENEFITS



## REALISTIC AESTHETIC

Photorealistic print technology for a more beautiful composite



## INCREASED SPAN

Reinforced for improved strength & span capability



## MORE STABLE

Less movement from expansion & contraction



## STAIN RESISTANT

Premium stain resistance for long-lasting beauty



## WEAR LAYER

Wear layer offers protection against scratches and fading



## DECAY RESISTANT

Resists insects, moisture, & weather



## LOW-MAINTENANCE

Only basic care required for optimal longevity



## ECO-FRIENDLY

Long-lasting & prevents deforestation





# Pioneer

## PIONEER PROFILE TYPES

Pioneer reinforced bamboo foamed-PVC composite can be used as stunning outdoor decking or as open joint cladding in wall applications. Decking profiles are available in a 140 mm width (grooved and square edge), and a 145 mm width (grooved only). Fascia boards are available in a 150 mm or 184 mm width for use as trim or other accents. All boards can be cut using standard tools. HULK hidden fasteners are designed for use with grooved edges while HULK colour matching top fixing screws are made for use with non-grooved edges and fascia boards.

Grooved board  
140 x 24 mm




Square edge board  
140 x 24 mm



Grooved board  
145 x 21 mm



Starter board  
145 x 21 mm



Fascia board  
150 x 12 mm  
184 x 12 mm







Featured: **Pioneer, Acacia**  
Single sided grooved and square edge decking



## REINFORCED BAMBOO FOAMED-PVC COMPOSITE



**140 x 24 mm**  
Grooved both sides

**GFR** / GLASS FIBER  
REINFORCED

### GROOVED BOARD

The Pioneer single sided grooved board is reinforced and offers a flawless, fastener-free final look thanks to grooves along its edges which are designed for streamlined installation using HULK hidden fastener clips, available as S-Series clips or as Chain collated clips.

Dimensions	140 x 24 mm
Weight	2.7 kg/m
Recommended joist spacing	450 mm centre to centre

Dimensions	145 x 21 mm
Weight	2.2 kg/m
Recommended joist spacing	450 mm centre to centre

#### Grooved board



S-Series (S9) Chain collated clip

#### Grooved edge fasteners

Compatible with S9 S-Series clip and Chain collated clip and screw



**140 x 24 mm**  
Rectangular profile

**GFR** / GLASS FIBER  
REINFORCED

### SQUARE EDGE BOARD

The Pioneer single sided square edge board is reinforced and is designed for use as decking or for creative vertical installations, like cladding. Install using HULK hidden fastener clips (available as S-Series clips or as Chain collated clips) on the grooved edge and HULK colour matching top fixing screws on the square edge.

Dimensions	140 x 24 mm
Weight	2.8 kg/m
Recommended joist spacing	450 mm centre to centre

#### Square edge board




#### Square edge fasteners

Uses HULK composite top fixing screws





Featured: **Pioneer, Marula**  
Single sided grooved and square edge decking





## REINFORCED BAMBOO FOAMED-PVC COMPOSITE




**GFR** / GLASS FIBER  
REINFORCED

### GROOVED BOARD

The Pioneer wide single sided grooved board is available in a wider, thinner, and lighter profile design. It is reinforced and offers a flawless, fastener-free final look thanks to grooves along its edges which are designed for streamlined installation using HULK hidden fastener clips, available as S-Series clips or as Chain collated clips.

Dimensions	145 x 21 mm
Weight	2.6 kg/m
Recommended joist spacing	450 mm centre to centre

#### Grooved board



#### Grooved edge fasteners

Compatible with S6 S-Series clip and Chain collated clip and screw




**GFR** / GLASS FIBER  
REINFORCED

### STARTER BOARD

The Pioneer wide single sided starter board is lighter weight and is ideal for creating a picture frame effect for decks and for use on stairs edges. It simplifies installation by accommodating grooved boards while offering a solid square outside edge. Install using HULK hidden fastener clips on the grooved edge and HULK colour matching top fixing screws on the square edge.

Dimensions	145 x 21 mm
Weight	2.6 kg/m
Recommended joist spacing	450 mm centre to centre

#### Starter deck board



#### Grooved edge fasteners

Compatible with S6 S-Series clip and Chain collated clip and screw

#### Square edge fasteners




Uses HULK composite top fixing screws





Featured: **Pioneer, White Acacia**  
Single sided grooved and square edge decking





## BAMBOO FOAMED-PVC COMPOSITE



150 x 12 mm  
184 x 12 mm  
Rectangular profile

### FASCIA BOARD

Pioneer single sided fascia boards are designed for use in vertical applications as decking trim or cladding. They are non-load bearing profiles that add a neat finish to deck sides or other areas and are fastened using colour matching HULK top fixing composite trim screws.

Dimensions	150 x 12 mm
Weight	1.5 kg/m

Dimensions	184 x 12 mm
Weight	1.7 kg/m

#### Fascia board



#### Fascia trim fasteners

Uses HULK composite trim screws




Pioneer profiles are available in various lengths. To find out which lengths are available in your region, please visit your local Eva-Last website. Please refer to the Pioneer colours page to see our full colour range.






Featured: Pioneer, White Jackalberry  
Single sided grooved and square edge decking















# PIONEER COLOUR GUIDE

The Pioneer colour range celebrates the beauty of timber with exceptionally natural-looking composite. Pioneer offers state-of-the-art high resolution print technology to give each board an unrepeated realistic wood grain texture. This technology mirrors the hues and tones of specific timber types.



**Note:** To find out which colours are available in your region, please visit your local Eva-Last website.



# Apex<sup>®</sup> PLUS

## REINFORCED, CAPPED BAMBOO-PVC COMPOSITE

Apex PLUS offers you a resilient and natural looking composite. Its bamboo foamed-PVC and glass fiber-reinforced core allows for increased span capability over Apex. Low-maintenance Apex PLUS is more stable with less expansion and contraction than its predecessor, and requires only basic cleaning for optimal longevity. Its protective cap is made from a resilient acrylic polymer coating, for long-term fade, scratch, and stain resistance. Apex PLUS also provides decay resistance against insects, moisture, and the elements. Apex PLUS is an eco-friendly alternative to timber that prevents deforestation and premature deck replacement and uses solar power within the manufacturing process.

**GFR** | GLASS FIBER  
REINFORCED

### PRODUCT COMPOSITION

## Apex<sup>®</sup> PLUS

Apex PLUS upgrades your outdoor space with a cutting-edge composition that is equally beautiful and resilient. Its reinforced core gives you greater design freedom by reducing the amount of substructure your project needs and its specialised composition minimises contraction and expansion for a more stable board.



#### Capping material:

Engineered acrylic polymer

#### Core material:

Bamboo foamed-PVC composite  
with glass fiber-reinforcement



FSC certified bamboo composite product

**GFR** | GLASS FIBER  
REINFORCED





For more information on Apex PLUS visit [www.eva-last.com](http://www.eva-last.com)



## TAKE HOME THE BENEFITS



### INCREASED SPAN

Reinforcement improves strength & span capability



### MORE STABLE

Less movement from expansion & contraction



### NATURAL AESTHETIC

Advanced technology for more natural looking composite



### SLIP RESISTANT

Reliable slip resistance properties



### LOW-MAINTENANCE

Only basic care required for optimal longevity



### PROTECTIVE CAP

Fade, scratch, & stain resistant capping technology



### DECAY RESISTANT

Resists insects, moisture, & weather



### ECO-FRIENDLY

Long-lasting & prevents deforestation






# Apex<sup>®</sup> PLUS

## APEX PLUS PROFILE TYPES


Apex PLUS is available in two profile designs to suit the specifics of your outdoor project. Both the grooved board and square edge board offer the renowned Apex colour technology and composition, and the state-of-the-art Apex PLUS reinforced core. All profiles can be cut and installed using standard tools, and each offers a beautiful end look with the use of either HULK hidden fasteners for the grooved board or HULK colour matching top fixing fasteners for the square edge board.

### Apex<sup>®</sup> PLUS

**140 x 24 mm**




Grooved board




Square edge board

**190 x 24 mm**





Grooved board



Square edge board







## REINFORCED, CAPPED BAMBOO-PVC COMPOSITE



140 x 24 mm  
190 x 24 mm  
Grooved both sides



Sculpted Grain

**GFR** / GLASS FIBER  
REINFORCED

### GROOVED BOARD

The Apex PLUS single sided grooved board in bamboo-foamed PVC with a glass fiber-reinforced core offers a flawless, fastener-free final look thanks to the grooves along its edges which are designed for streamlined installation using HULK hidden fastener clips.

Dimensions	140 x 24 mm
Weight	2.9 kg/m
Recommended joist spacing	450 mm centre to centre

Dimensions	190 x 24 mm
Weight	3.8 kg/m
Recommended joist spacing	450 mm centre to centre

#### Grooved board



**Grooved edge fasteners**  
Compatible with S-Series clip  
and Chain collated clip and screw



140 x 24 mm  
190 x 24 mm  
Rectangular profile



Sculpted Grain

**GFR** / GLASS FIBER  
REINFORCED

### SQUARE EDGE BOARD

The Apex PLUS single sided square edge board in bamboo-foamed PVC with a glass fiber-reinforced core is designed for straightforward installation using HULK colour matching top fixing screws, and a multitude of creative application options, from decking to cladding, edging to screening.

Dimensions	140 x 24 mm
Weight	3.0 kg/m
Recommended joist spacing	450 mm centre to centre

Dimensions	190 x 24 mm
Weight	3.9 kg/m
Recommended joist spacing	450 mm centre to centre

#### Square edge board




**Square edge fasteners**  
Uses HULK composite top fixing  
screws on non-grooved edges





Featured: **Apex, Arctic Birch**  
Single sided grooved and square edge decking





# Apex<sup>®</sup>

## LIGHTWEIGHT, CAPPED BAMBOO-PVC COMPOSITE

Apex offers you a resilient and natural looking composite. Its ultra-lightweight bamboo foamed-PVC core makes for easy installation and workability. Apex carries both fire and slip resistance ratings and exceptional low maintenance, requiring only basic cleaning for optimal longevity. Its protective cap is made from a resilient acrylic polymer coating for fade, scratch, and stain resistance. Apex provides long-term decay and weather protection by resisting insects, moisture, and the elements. Apex is an eco-friendly alternative to timber that prevents deforestation and premature deck replacement and uses solar power within the manufacturing process.



### PRODUCT COMPOSITION

## Apex<sup>®</sup>

Apex products are lightweight thanks to their foamed bamboo-PVC composite core which is protected from the elements by a resilient acrylic polymer capping.



**Capping material:**  
Engineered acrylic polymer

**Core material:**  
Bamboo foamed-PVC composite




FSC certified bamboo composite product



**EUROCLASS B<sub>fl</sub> - s1  
FIRE RATED**







For more information on Apex visit [www.eva-last.com](http://www.eva-last.com)



## TAKE HOME THE BENEFITS



### NATURAL AESTHETIC

Advanced technology for more natural looking composite



### LIGHTWEIGHT

Ultra-lightweight bamboo-PVC core



### FIRE RESISTANT

Euroclass B<sub>f1</sub> - s1 fire rated



### SLIP RESISTANT

Reliable slip resistance properties



### LOW-MAINTENANCE

Only basic care required for optimal longevity



### PROTECTIVE CAP

Fade, scratch, & stain resistant capping technology



### DECAY RESISTANT

Resists insects, moisture, & weather



### ECO-FRIENDLY

Long-lasting & prevents deforestation





# Apex®

## APEX PROFILE TYPES

Apex lightweight, capped bamboo foamed-PVC boards are designed for versatility. They can be used for decking, cladding, screening, or other creative outdoor projects. Decking boards are available in widths of 140 mm and 190 mm, as grooved boards, square edge boards, or starter boards to make your entire installation simple. Fascia boards are available for use as trim or other accents, and a composite joist is available for installing atop flat surfaces.

# Apex®

Grooved board  
140 x 24 mm



Grooved board  
190 x 24 mm



Square edge board  
140 x 24 mm



Square edge board  
190 x 24 mm




Starter board  
140 x 24 mm



Composite joist  
40 x 30 mm



Fascia boards  
150 x 12 mm  
184 x 14 mm  
285 x 16 mm









## LIGHTWEIGHT, CAPPED BAMBOO-PVC COMPOSITE



**140 x 24 mm**  
**190 x 24 mm**  
Grooved both sides



Sculpted grain finish

### GROOVED BOARD

The Apex single sided grooved board installs efficiently and securely with HULK hidden fastener clips which slot into the grooves along the edges of the board and create an uninterrupted final look.

Dimensions	140 x 24 mm
Weight	2.5 kg/m
Recommended joist spacing	300 mm centre to centre

Dimensions	190 x 24 mm
Weight	3.4 kg/m
Recommended joist spacing	350 mm centre to centre

#### Grooved board



**Grooved edge fasteners**  
Compatible with S-Series clip  
and Chain collated clip and screw



**140 x 24 mm**  
**190 x 24 mm**  
Rectangular profile



Sculpted grain finish

### SQUARE EDGE BOARD

The Apex single sided square edge board is as versatile as it is durable, ideal for decking, deck and stair edges, and for use as attractive cladding or screening, and is fastened by top fixing HULK colour matching screws.

Dimensions	140 x 24 mm
Weight	2.6 kg/m
Recommended joist spacing	300 mm centre to centre

Dimensions	190 x 24 mm
Weight	3.5 kg/m
Recommended joist spacing	350 mm centre to centre

#### Square edge board




**Square edge fasteners**  
Uses HULK composite top fixing screws





Featured: **Apex, Himalayan Cedar**  
Single sided grooved and square edge decking





## LIGHTWEIGHT, CAPPED BAMBOO-PVC COMPOSITE



**140 x 24 mm**

Grooved one side



Sculpted grain finish

### STARTER BOARD

The Apex single sided starter board offers one grooved edge and one solid edge, making it perfect for deck perimeters, picture framing decks, and creating stairs. It fastens with a combination of HULK hidden fasteners and colour matched HULK composite decking screws.

Dimensions	140 x 24 mm
Weight	2.5 kg/m
Recommended joist spacing	300 mm centre to centre

#### Starter board



#### Square edge fasteners

Uses HULK composite top fixing screws on non-grooved edges



S-Series



Chain collated clip

#### Grooved edge fasteners

Compatible with S-Series clip and Chain collated clip and screw



**71 x 11 mm**

**150 x 12 mm**

**184 x 14 mm**

**285 x 16 mm**

Rectangular profile



Sculpted grain finish

### FASCIA BOARDS

Apex fascia boards are non-load bearing profiles that help to add a neat finish to deck sides or areas where trim is needed. They are fastened using colour matching HULK top fixing composite trim screws.

Dimensions	71 x 11 mm
Weight	0.7 kg/m
Recommended joist spacing	300 mm centre to centre*

\*Based on non-load bearing applications only

Dimensions	150 x 12 mm
Weight	1.4 kg/m
Recommended joist spacing	300 mm centre to centre*

\*Based on non-load bearing applications only

Dimensions	184 x 14 mm
Weight	2.0 kg/m
Recommended joist spacing	300 mm centre to centre*

\*Based on non-load bearing applications only

Dimensions	285 x 16 mm
Weight	3.5 kg/m
Recommended joist spacing	300 mm centre to centre*

\*Based on non-load bearing applications only

### Fascia board



#### Fascia trim fasteners

Uses HULK composite trim screws





Featured: **Apex, Himalayan Cedar**  
Single sided grooved and square edge decking





## BAMBOO-PVC COMPOSITE JOIST



### FOAMED COMPOSITE JOIST

Apex foamed composite joists are a non-load bearing, cost-effective option for use over existing slabs such as screed, or tiled flooring, paving, and patios. Compared to standard deck installations, they are quick to install, requiring no posts or any other supporting structure.

Dimensions	40 x 30 mm
Weight	1.6 kg/m
Colour	Dark grey



#### Fasteners

Lay spacers between the joist and the installation surface and then nail in anchors.




Apex profiles are available in various lengths. To find out which lengths are available in your region, please visit your local Eva-Last website.





Featured: **Apex, Himalayan Cedar**  
Single sided grooved and square edge decking







**Apex**<sup>®</sup>

INCLUDING **Apex**<sup>®</sup> PLUS


## APEX DUAL TONE COLOUR GUIDE

The dual tone range of Apex and Apex PLUS adds an extra layer of colour to each board to enhance the natural look of your composite project. The variance in shades within a single composite profile beautifully showcases the colour tones found in timber making your composite all the more striking. Dual tone colours are ideal for mid-to-large-scale composite decks and projects or other areas that are all about that natural look.



Sculpted grain finish





**Note:** To find out which colours are available in your region, please visit your local Eva-Last website.



# Infinity<sup>®</sup>

## CAPPED BAMBOO COMPOSITE DECKING

Infinity bamboo composite is the ultimate in durability and one of the toughest co-extruded composite decking ranges available. Its resilient protective cap made of an advanced polymer resists scratches, fade, mould, and mildew, and makes Infinity exceptionally low maintenance, with only the most basic cleaning required for optimal longevity. Infinity offers decay and weather resistance with top protection from insects and harsh weather. Its streaked colour variation provides a natural look that embodies the essence of timber. Enjoy the stain and slip resistance of this environmentally friendly alternative to timber, which is holistically sustainable from its manufacturing to its use of raw material.

## PRODUCT COMPOSITION

Infinity bamboo composite decking adds value and good looks to your outdoor space and to your lifestyle by giving you steadfast decking that lasts for decades.



### Infinity<sup>®</sup>

#### Capping material:

Engineered polymer

#### Core material:

Bamboo PE composite



FSC certified bamboo composite product







For more information on Infinity visit [www.eva-last.com](http://www.eva-last.com)



## TAKE HOME THE BENEFITS



### DURABLE

One of the toughest co-extruded composites



### PROTECTIVE CAP

Fade, scratch, & stain resistant capping technology



### LOW-MAINTENANCE

Only basic care required for optimal longevity



### DECAY RESISTANT

Resists insects, moisture, & weather



### STAIN RESISTANT

Built-in protection against stains



### SLIP RESISTANT

Reliable anti-slip protection



### NATURAL LOOK

Specialised streaked colour technology



### ECO-FRIENDLY

Sustainable manufacturing & use of raw material





## INFINITY PROFILE TYPES

Infinity capped bamboo composite adds durability and functionality to your outdoor space in a range of profile designs. Grooved decking boards install easily with hidden clips while square edge boards install with conveniently colour matched top fixing screws. The ultra-lightweight Infinity IS (I-Series) range utilises the classic I-beam shape to create an even lighter weight profile available in grooved, square edge, and starter profile options. Fascia, screen, and stair tread profiles add matching finishing touches to complete your outdoor space.

**Infinity®**


Grooved board  
140 x 23 mm



Square edge board  
140 x 23 mm



Fascia boards  
150 x 12 mm  
184 x 16.5 mm  
300 x 18 mm



Stair tread  
325 x 30 mm



Screen board  
70 x 16 mm



**Infinity<sup>®</sup> IS**

Infinity IS grooved board  
135 x 25.4 mm



Infinity IS square edge board  
135 x 25.4 mm



Infinity IS starter board  
135 x 25.4 mm



Infinity IS grooved 210 x 25.4 mm wide board

**Infinity<sup>®</sup> IS**


Infinity IS grooved board  
134 x 25.4 mm



Infinity IS square edge board  
134 x 25.4 mm







Featured: **Infinity IS, Cape Town Grey**  
Single sided grooved decking and double sided fascia



## CAPPED BAMBOO COMPOSITE DECKING



**140 x 23 mm**  
Grooved both sides



Sculpted grain



Driftwood

### GROOVED BOARD

The Infinity double sided grooved board installs efficiently and securely with HULK hidden fastener clips which slot into the grooves along the edges of the board and create an uninterrupted final look.

Dimensions	140 x 23 mm
Weight	3.9 kg/m
Recommended joist spacing	400 mm centre to centre

#### Grooved board



S-Series

Chain collated clip

#### Grooved edge fasteners


Compatible with S-Series clip and Chain collated clip and screw



**140 x 23 mm**  
Rectangular profile



Sculpted grain



Driftwood

### SQUARE EDGE BOARD

The Infinity double sided square edge board is as versatile as it is durable, ideal for decking, deck and stair edges, and for use as attractive cladding or screening, and is fastened by top fixing HULK colour matching composite decking screws.

Dimensions	140 x 23 mm
Weight	4.1 kg/m
Recommended joist spacing	400 mm centre to centre

#### Square edge board



#### Square edge fasteners

Uses HULK composite top fixing screws





Featured: **Infinity, Tiger Cove**  
Double sided grooved and square edge decking







## LIGHTWEIGHT, CAPPED BAMBOO COMPOSITE DECKING



135 x 25.4 mm  
210 x 25.4 mm  
Grooved both sides



Sculpted grain finish

### GROOVED BOARD

The Infinity IS single sided grooved board installs efficiently and securely with HULK hidden fastener clips which slot into the grooves along the edges of the board and create a neat uninterrupted final look.

#### Dimensions

135 x 25.4 mm

#### Weight

2.8 kg/m

#### Recommended joist spacing

400 mm centre to centre

#### Fasteners



Compatible with S-Series clip  
and Chain collated clip and screw

#### Dimensions

210 x 25.4 mm

#### Weight

4.4 kg/m

#### Recommended joist spacing

400 mm centre to centre

#### Fasteners



Compatible with S-Series clip  
and Chain collated clip and screw

### Infinity IS added benefits:

Infinity IS bamboo composite decking adds value to your outdoor space and your lifestyle by giving you steadfast decking in a smarter, optimised design.



#### COST-EFFECTIVE

Smart shape saves on  
transport & installation



#### LIGHTWEIGHT

I-beam design is lighter by  
using less material



#### SPAN

Span capability of heavier  
boards



#### INSTALLATION

Easier and more efficient  
installation



Infinity IS profiles are available in various lengths. To find out which lengths are available in your region, please visit your local Eva-Last website. Please refer to the Infinity colours page to see our full colour range.





Featured: **Infinity IS, Caribbean Coral**  
Single sided grooved and square edge decking





## LIGHTWEIGHT, CAPPED BAMBOO COMPOSITE DECKING



**135 x 25.4 mm**  
Rectangular profile



Sculpted grain finish



**135 x 25.4 mm**  
Grooved one side



Sculpted grain finish

### SQUARE EDGE BOARD

The Infinity IS single sided square edge deck board is ideal for decking, deck and stair edges, or for use as attractive cladding or screening. It installs easily using traditional top fixing screws. HULK colour matching composite decking screws (CDS) work perfectly with Infinity IS composite for a beautiful finished look.

Dimensions	135 x 25.4 mm
Weight	2.7 kg/m
Recommended joist spacing	400 mm centre to centre

#### Square edge board



**Square edge fasteners**

Uses HULK composite deck top fixing screws

### STARTER BOARD

The Infinity IS single sided starter deck board offers one grooved edge and one solid edge, making it perfect for deck perimeters, picture framing decks, and creating stair edges. It fastens with a combination of HULK hidden fasteners and colour matched HULK composite decking screws.

Dimensions	135 x 25.4 mm
Weight	2.7 kg/m
Recommended joist spacing	400 mm centre to centre

#### Starter board



**Square edge fasteners**

Uses HULK composite top fixing screws on non-grooved edges



S-Series



Chain collated clip

**Grooved edge fasteners**

Compatible with S-Series clip and Chain collated clip and screw





Featured: **Infinity IS, Oasis Palm**  
Single sided grooved and square edge decking





## LIGHTER WEIGHT, CAPPED BAMBOO COMPOSITE DECKING




**134 x 25.4 mm**  
Rectangular profile



Sculpted grain finish



**134 x 25.4 mm**  
Grooved one side



Sculpted grain finish

### GROOVED BOARD

The exceptionally lightweight Infinity IS single sided grooved board installs efficiently and securely with HULK hidden fastener clips which slot into the grooves along the edges of the board and create a neat uninterrupted final look.

Dimensions	134 x 25.4 mm
Weight	2.7 kg/m
Recommended joist spacing	400 mm centre to centre

#### Grooved board



S-Series

Chain collated clip

#### Grooved edge fasteners

Compatible with S-Series clip and Chain collated clip and screw

### STARTER BOARD

The exceptionally lightweight Infinity IS single sided starter deck board offers one grooved edge and one solid edge, making it perfect for deck perimeters, picture framing decks, and creating stair edges. It fastens with a combination of HULK hidden fasteners and colour matched HULK composite decking screws.

Dimensions	134 x 25.4 mm
Weight	2.7 kg/m
Recommended joist spacing	400 mm centre to centre

#### Starter board



#### Square edge fasteners

Uses HULK composite top fixing screws on non-grooved edges



S-Series

Chain collated clip

#### Grooved edge fasteners

Compatible with S-Series clip and Chain collated clip and screw





Featured: **Infinity IS, Swiss Oak**  
Single sided grooved and square edge decking





## CAPPED BAMBOO COMPOSITE FASCIA



150 x 12 mm  
184 x 16.5 mm  
300 x 18 mm

Rectangular profile



Sculpted grain finish  
(Double sided 150 x 12 mm only)




Brushed softwood finish  
(On all fascia boards)

### FASCIA BOARD

The Infinity single sided fascia boards are non-load bearing profiles that add a neat finish to deck edges or areas where trim is needed. They are neatly fastened by top fixing colour matching HULK composite trim screws.

Dimensions	150 x 12 mm Single sided; Brushed softwood Double sided; Brushed softwood Sculpted grain	Dimensions	184 x 16.5 mm Single sided; Brushed softwood
Weight	2.3 kg/m	Weight	3.8 kg/m
Recommended joist spacing	400 mm centre to centre* *Based on non-load bearing applications only	Recommended joist spacing	400 mm centre to centre* *Based on non-load bearing applications only
Dimensions	300 x 18 mm Single sided; Brushed softwood		
Weight	6.8 kg/m		
Recommended joist spacing	400 mm centre to centre* *Based on non-load bearing applications only		

### Fascia boards



### Fascia trim fasteners

Uses HULK composite trim screws


Infinity profiles are available in various lengths. To find out which lengths are available in your region, please visit your local Eva-Last website. Please refer to the Infinity colours page to see our full colour range.







Featured: Infinity IS, Caribbean Coral  
Single sided grooved decking and trim fascia







## CAPPED BAMBOO COMPOSITE DECKING



**325 x 30 mm**  
Rectangular profile



Sculpted grain finish



Brushed softwood finish

### STAIR TREAD

The Infinity double sided stair tread is a wide, solid profile designed specifically for use as a stair board. Its size and durability ensure stairs that are long-lasting and safe. Its high quality capped bamboo composite composition offers a low-maintenance and eco-friendly stair material option that gives the look of timber in a range of natural colours and textures. The Infinity stair tread installs easily using HULK colour matched composite decking screws.

Dimensions	325 x 30 mm
Weight	11.5 kg/m
Recommended joist spacing	400 mm centre to centre* *Based on stair applications only


### Square edge stair tread board



#### Square edge fasteners

Uses HULK composite top fixing screws


Infinity profiles are available in various lengths. To find out which lengths are available in your region, please visit your local Eva-Last website. Please refer to the Infinity colours page to see our full colour range.







Featured: Infinity, Tiger Cove  
Single sided grooved decking and stair tread







## CAPPED BAMBOO COMPOSITE SCREENING



**70 x 16 mm**  
Rectangular profile



Brushed softwood finish

### SCREEN BOARD

The Infinity screen board is a thin, lightweight composite profile. This double sided board offers a brushed finish on both faces of the profile to create a neat aesthetic for cladding or screening. HULK top fixing screws securely fasten the board in place and are available in colours to match the composite boards for a seamless look.

Dimensions	70 x 16 mm
Weight	2.3 kg/m
Recommended joist spacing	900 mm centre to centre*
	*Based on screening applications only

### Screen board



### Screen board fasteners

Uses HULK composite trim screws

Infinity profiles are available in various lengths. To find out which lengths are available in your region, please visit your local Eva-Last website. Please refer to the Infinity colours page to see our full colour range.







Featured: Infinity, Tiger Cove  
Double sided grooved decking and privacy screening







*Infinity*®

## INFINITY FINISH & COLOUR GUIDE

The Infinity range is designed to enhance the beauty and liveability of your outdoor area. Infinity composite offers incredibly natural-looking colours thanks to its advanced colour technology which gives each board unique colour variation to embody the essence of timber. Enjoy the beauty of wood with the benefits of composite.

### SURFACE FINISHES



Sculpted grain




Driftwood



Brushed softwood





**Note:** To find out which colours are available in your region, please visit your local Eva-Last website.





## BAMBOO COMPOSITE DECKING

Eva-tech is a cost-effective, uncapped bamboo composite product. It offers slip resistance for a safer, more beautiful outdoor space and is a low-maintenance alternative to timber. Create the look of natural wood without the constant upkeep. Its reliable durability is long-lasting, and its decay and weather resistance provides protection from insects and harsh weather. This environmentally friendly composite is holistically sustainable from its manufacturing to its use of raw material.

## PRODUCT COMPOSITION

Design an outdoor space that's more inspiring and more inviting with Eva-tech bamboo composite, the original classic & modern, composite brand by Eva-Last.




(P) PATENTED TECHNOLOGY

**Core & surface material:**


Bamboo PE composite



FSC certified bamboo composite product







For more information on Eva-tech visit [www.eva-last.com](http://www.eva-last.com)



## TAKE HOME THE BENEFITS



### **COST-EFFECTIVE**

Cost-effective bamboo composite material



### **SLIP RESISTANT**

Reliable anti-slip protection



### **LOW-MAINTENANCE**

Only basic care required for optimal longevity



### **DURABLE**

Long-lasting & reliable



### **DECAY RESISTANT**

Resists insects, moisture, & weather



### **ECO-FRIENDLY**

Sustainable manufacturing & use of raw material

## EVA-TECH IS ADDED BENEFITS

Eva-tech IS decking has an optimised design that's more versatile and more cost-effective.



### **COST-EFFECTIVE**

Smart shape saves on transport & installation



### **LIGHTWEIGHT**

I-beam design is lighter by using less material



### **SPAN**

Span capability of heavier boards



### **INSTALLATION**

Easier and more efficient installation





**Eva-tech**®

## EVA-TECH PROFILE TYPES

Eva-tech bamboo composite adds sophistication and durability to any outdoor space. Decking boards are available in the revolutionary I-Series design as Eva-tech IS which utilises the classic I-beam shape to create an ultra-lightweight but strong profile. Eva-tech decking profiles offer a long-lasting and cost-effective composite decking option in grooved, square edge, and starter profile design options, as well as trim and clad fascia boards, to complete your outdoor project.

**Eva-tech**® **IS**

Grooved board (Dual tone)  
139 x 23.4 mm



Starter board (Dual tone)  
139 x 23.4 mm



Grooved board (Wyde)  
137 x 23.4 mm



Starter board (Wyde)  
137 x 23.4 mm



**Eva-tech**®

Trim fascia board  
148 x 11 mm



Clad fascia board  
246 x 16 mm







Featured: **Eva-tech IS, Savanna Wyde Finish**  
Single sided Eva-tech IS wyde finish decking






# Eva-tech® IS



## LIGHTWEIGHT BAMBOO COMPOSITE DECKING



**139 x 23.4 mm**  
Grooved both sides



Dual tone finish

### GROOVED BOARD

The Eva-tech IS single sided grooved board installs efficiently and securely with HULK hidden fastener clips. This I-Series profile offers a more beautiful composite finish with enhanced dual tone colour for the look of natural timber.

Dimensions	139 x 23.4 mm
Weight	2.4 kg/m
Recommended joist spacing	350 mm centre to centre


#### Grooved board



**Grooved edge fasteners**  
Compatible with S-Series clip and Chain collated clip and screw



**139 x 23.4 mm**  
Grooved one side



Dual tone finish

### STARTER BOARD

The Eva-tech IS single sided starter board offers one grooved edge and one solid edge, making it perfect for deck perimeters and stairs. This dual tone board fastens with a combination of HULK hidden fasteners and colour matched HULK composite decking screws.

Dimensions	139 x 23.4 mm
Weight	2.8 kg/m
Recommended joist spacing	350 mm centre to centre

#### Starter board



#### Square edge fasteners

Uses HULK composite top fixing screws on non-grooved edges

#### Grooved edge fasteners


Compatible with S-Series clip and Chain collated clip and screw

Eva-tech IS profiles are available in various lengths. To find out which lengths are available in your region, please visit your local Eva-Last website. Please refer to the Eva-tech colours page to see our full colour range.





Featured: **Eva-tech IS, Xavia Dual Tone Finish**  
Single sided Eva-tech IS dual tone decking





## LIGHTWEIGHT BAMBOO COMPOSITE DECKING



**137 x 23.4 mm**  
Grooved both sides



Wyde finish

### GROOVED BOARD

The Eva-tech IS single sided grooved board installs efficiently and securely with HULK hidden fastener clips which slot into the grooves along the edges of the board and create an uninterrupted final look.

Dimensions	137 x 23.4 mm
Weight	2.3 kg/m
Recommended joist spacing	350 mm centre to centre

#### Grooved board



S-Series




Chain collated clip

#### Grooved edge fasteners

Compatible with S-Series clip and Chain collated clip and screw



**137 x 23.4 mm**  
Grooved one side



Wyde finish

### STARTER BOARD

The Eva-tech IS single sided starter board offers one grooved edge and one solid edge, making it perfect for deck perimeters and stairs. It fastens with a combination of HULK hidden fasteners and colour matched HULK composite decking screws.

Dimensions	137 x 23.4 mm
Weight	2.8 kg/m
Recommended joist spacing	350 mm centre to centre

#### Starter board



S-Series



Chain collated clip



#### Square edge fasteners

Uses HULK composite top fixing screws on non-grooved edges

#### Grooved edge fasteners

Compatible with S-Series clip and Chain collated clip and screw





Featured: **Eva-tech IS, Xavia Wyde Finish**  
Single sided grooved and square edge decking






## BAMBOO COMPOSITE DECKING



**148 x 11 mm**  
Rectangular profile



Wyde finish



3D tread finish

### TRIM FASCIA BOARD

The Eva-tech double sided and single sided fascia board, available in a wyde finish or 3D tread finish, is a non-load bearing profile that adds a neat finish to deck sides or areas where trim is needed. It is top fixed using colour matching HULK composite trim screws.

Dimensions	148 x 11 mm
Weight	2.2 kg/m
Recommended joist spacing	350 mm centre to centre* *Based on non-load bearing applications only


#### Trim fascia board




**Trim fascia fasteners**  
Uses HULK composite trim screws



**246 x 16 mm**  
Rectangular profile



Wyde finish



3D tread finish

### CLAD FASCIA BOARD

The Eva-tech double sided clad fascia board, available in a wyde finish or 3D tread finish, is a non-load bearing profile that adds a neat finish to deck edges, stairs and areas where larger trim is needed. It is top fixed using colour matching HULK composite trim screws.

Dimensions	246 x 16 mm
Weight	5.5 kg/m
Recommended joist spacing	350 mm centre to centre* *Based on non-load bearing applications only

#### Clad fascia board



**Clad fascia fasteners**  
Uses HULK composite trim screws





Featured: **Eva-tech Clad Fascia, Rusteak**  
Double sided square edge trim and clad fascia








**Eva-tech**®

## EVA-TECH FINISH & COLOUR GUIDE

The Eva-tech colour range offers timeless natural colours. Choose from the wyde board with its sleek grooved surface finish, or the new dual tone timber textured board, both available in matte Eva-tech colours. Each Eva-tech colour is specially designed to evoke the essence of a particular timber type. The Eva-tech dual tone colour option adds an extra level of colour technology to each of the four classic Eva-tech colours to give you an even more natural-looking composite.


### SURFACE FINISHES



Dual tone finish



Wyde finish






3D tread finish  
(fascia only)









## DUAL TONE FINISH



## WYDE FINISH



**Note:** To find out which colours are available in your region, please visit your local Eva-Last website.



## ADVANCED BAMBOO COMPOSITE CLADDING

The VistaClad lightweight bamboo composite cladding system is revolutionising how cladding works with an innovative clip strip which locks boards into place using reliable dual spring technology. VistaClad is available in a range of colours and finishes, with trim and accessories, as a complete cladding system, designed for ease of installation. Backed by an industry-leading warranty, this low-maintenance, weather-resistant cladding is a smart, cost-efficient investment in your project and a sustainable investment in our planet.



### VISTACLAD SYSTEM COMPONENTS


The VistaClad system combines Eva-Last composite technologies with an innovative installation process to provide a robust and convenient cladding solution. The resultant hidden fixing generates an unblemished finish and avoids the limitations or inconvenience of fastening through composite.



Composite Cladding Boards



Clip Strip



Apertors & Trim Profiles

### CUTTING-EDGE SUSTAINABLE CLADDING

VistaClad bamboo composite cladding breathes vibrancy into your home or office space and enhances your walls with the attractive look of natural hardwoods. Let routine maintenance and premature replacement be things of the past as you look to the future with one of the most cutting-edge cladding systems available, complete with complementary trim for a neat and tidy finish.





For more information on VistaClad visit [www.eva-last.com](http://www.eva-last.com)



## TAKE HOME THE BENEFITS



### CLIP LOCK DESIGN

Boards securely click & lock into place to withstand strong winds



### COMPLETE CLADDING SOLUTION

Innovative system with concealed fastening & trim for a finished look



### LIGHTWEIGHT

Smart system engineered for lighter weight & better airflow



### VENTILATED & INSULATED

Design allows for system ventilation & natural insulation



### LOW-MAINTENANCE

Ideal for large-scale projects & application at height



### DECAY RESISTANT

Resists biodegradation, corrosion, insects, UV, & harsh weather



### COST-EFFECTIVE SYSTEM

Save on fast, simplified installation & overall upkeep



### ECO-FRIENDLY

Sustainable manufacturing & use of raw materials





VistaClad™  
Cladding inspired by nature

Available in

**Apex®**

**BAMBOO-PVC CLADDING MATERIAL**



**Capping material:**

Engineered acrylic polymer

**Core material:**

Bamboo foamed-PVC composite



FSC certified bamboo composite product



Sculpted grain finish

## VISTA CLAD CLADDING IN APEX BAMBOO-PVC COMPOSITE

VistaClad is available in Apex bamboo-PVC composite. Backed by a 30-year warranty, Apex lightweight, capped composite is an ideal cladding material. The dual colour finish of Apex provides an exceptionally natural looking composite which embodies the essence of timber in a range of nuanced shades to complement your overall project. Install this environmentally friendly, low-maintenance cladding vertically or horizontally to suit your style.

VistaClad profiles are available in various lengths. To find out which lengths are available in your region, please visit your local Eva-Last website.





## VISTACLAD IN APEX DUAL TONE COLOUR TECHNOLOGY

The Apex dual tone colour range offers a sculpted grain finish for more natural looking cladding. Each cladding board has an extra layer of colour added to create the subtle variances found in timber. The sculpted grain finish produces a texture that embodies the look of wood to give your exterior walls the beauty of timber cladding in a more resilient, low-maintenance, and eco-friendly composite option.



COLOUR RANGE: SCULPTED GRAIN FINISH

TECHNOLOGY: **Apex**<sup>®</sup>



SWEDISH OAK



NATURAL CEDAR



WESTERN RED CEDAR




HIMALAYAN CEDAR




ARCTIC BIRCH



ALASKAN DRIFTWOOD



BRAZILIAN TEAK




HAWAIIAN WALNUT



SIBERIAN BARK



ISLAND MAHOGANY



CARBONISED OSAGE



CHARRED CEDAR





Available in

***Infinity***<sup>®</sup>

## BAMBOO COMPOSITE CLADDING MATERIAL



### Capping material:

Engineered polymer

### Core material:

Bamboo PE composite



FSC certified bamboo composite product




Brushed softwood finish

## VISTACLAD CLADDING IN INFINITY BAMBOO COMPOSITE

VistaClad cladding boards in Infinity co-extruded capped bamboo composite offer exceptional durability. The hardy bamboo PE (polyethylene) composite core is wrapped in a robustly engineered polymer cap for a resilient composite. Infinity offers a low-maintenance, eco-friendly alternative to conventional cladding in a selection of natural finishes. Enjoy its resistance features, such as protection against scratches, fading, moisture, insects, and weather, all backed by a 25-year warranty.

VistaClad profiles are available in various lengths. To find out which lengths are available in your region, please visit your local Eva-Last website.






## VISTACLAD IN INFINITY STREAKED COLOUR TECHNOLOGY


The Infinity colour range offers specialised streaked colour technology to ensure that no two cladding boards are identical and to give your exterior walls the look of natural timber cladding. The brushed finish applied to the VistaClad Infinity cladding boards further enhances the natural tones, allowing you to enjoy the look of timber cladding in a more durable, hassle-free, and sustainable bamboo composite.

COLOUR RANGE: BRUSHED SOFTWOOD FINISH


TECHNOLOGY: *Infinity*<sup>®</sup>



CARIBBEAN CORAL




PACIFIC PEARL




SWISS OAK




THAI TEAK




OASIS PALM




FIRE KOA



TIGER COVE



SPANISH SAFFRON




KONA SUNSET



CONCRETE GREY



CAPE TOWN GREY



BALITC NERO





## BAMBOO COMPOSITE PROFILES

VistaClad cladding boards are available in Apex and Infinity bamboo composite material technologies, designed for long-lasting weather resistance, including protection against insects, moisture, and fading. The tongue and groove profile design interlocks the boards, supplying system tolerance whilst improving load distribution and reduction of moisture ingress.



**Apex**<sup>®</sup>



APEX BAMBOO FOAMED-PVC CLADDING

Cross section	Product description	Dimensions	Coverage	Mass
	Standard (Apex)	163 x 20.5 mm	6.6 m/m <sup>2</sup>	1.5 kg/m

### Multi-width, multi-depth Apex sizes

Cross section	Product description	Dimensions	Coverage	Mass
	Flat (Apex)	163 x 24.5 mm	6.6 m/m <sup>2</sup>	1.4 kg/m
	One groove (Apex)	163 x 24.5 mm	6.6 m/m <sup>2</sup>	1.5 kg/m
	Two grooves (Apex)	163 x 24.5 mm	6.6 m/m <sup>2</sup>	1.6 kg/m
	Narrow (Apex)	86 x 34.5 mm	13.1 m/m <sup>2</sup>	1.0 kg/m





**Infinity**<sup>®</sup>



INFINITY BAMBOO COMPOSITE CLADDING

Cross section	Product description	Dimensions	Coverage width	Mass
	Standard (Infinity)	159.5 x 22.5 mm	6.6 m/m <sup>2</sup>	2.3 kg/m





Featured: VistaClad, Infinity, Oasis Palm  
VistaClad cladding system



## THE CLIP STRIP

The VistaClad clip strip uses a punched spring design that allows the cladding boards to be easily and securely clicked into place. Three epoxy-coated, zinc-galvanised strip profile options provide flexibility in application and allow for optimal ventilation and drainage.

The dual spring-loaded clip creates a rigid hold and locks the boards in place.



### FLAT CLIP STRIP

The flat clip strip is fitted directly to the wall substrate or frame. As a result, this solution provides the smallest ventilation/drainage cavity and fixing can only be done through the face of the clip strip.

Dimensions	40 x 11.7 mm (1.8 m lengths)
Weight	0.4 kg/m



### CHANNEL CLIP STRIP

The channel clip strip fits over 38 mm (timber) and 40 mm (composite and steel) supports. As a result, the ventilation/drainage cavity will be influenced by the thickness of the support but the minimum depth the channel profile allows for is 23.5 mm. Fixing can be done through the face or the side of the clip strip. Fixing through the side allows for the channel to be plumbed quickly and easily.

Dimensions	45.4 x 34.1 mm (2.7 m lengths)
Weight	0.8 kg/m



### TOP HAT CLIP STRIP

The top hat clip strip fits over 38 mm (timber) and 40 mm (composite and steel) supports. As a result, the ventilation/drainage cavity will be influenced by the thickness of the support as well as the fixing method but the minimum depth the top hat profile allows for is 25.4 mm. Fixing can be done through the face, the side, and either side of the clip strip base. Fixing through the side allows for the top hat to be plumbed quickly and easily.

Dimensions	85.4 x 35.9 mm (2.7 m lengths)
Weight	1.2 kg/m





## NYLON ADAPTORS



Top & bottom adaptor



Side adaptor



Internal corner adaptor



External corner adaptor

## ALUMINIUM TRIM PROFILES



Universal trim profile



T trim profile



Minimal U trim profile



Internal corner trim profile



External corner trim profile

## TRIM APPLICATIONS


Trim accessories hide the structure for a neat final look and can be installed using sealing strips to improve the weather resistance of the cladding surface. The clip strip allows for easy guided placement of the adaptors and the universal trims may be used with VistaClad or any cladding boards with a thickness of 20.5 to 26.5 mm.



Top, bottom and side adaptors with universal trim profile



Top and bottom and edge applications




Side adaptor with T trim profile

Side adaptor with minimal U trim profile

Butt join applications



Internal corner adaptor with internal corner trim profile



External corner adaptor with external corner trim profile

External & internal corner applications

Window applications






**EVOLVER**  
THE EVOLUTION OF FENCING

## ALUMINIUM FRAMED HORIZONTAL COMPOSITE FENCE

The Evolver fence system allows for complete customisation by pairing optimised aluminium posts and framing with environmentally friendly bamboo composite boards for low-maintenance, modern-looking, and long-lasting corrosion resistant fence.



### CUSTOMISABLE DIY FENCING



Evolver fencing can be easily installed in several customised designs, each with its own benefits.

**Apex<sup>®</sup>**

LIGHTWEIGHT, CAPPED BAMBOO  
FOAMED-PVC FENCE BOARDS

**Infinity<sup>®</sup>**

CAPPED BAMBOO COMPOSITE  
FENCE BOARDS

**Eva-tech<sup>®</sup>**

BAMBOO COMPOSITE FENCE BOARDS

Evolver fence boards are available in Apex, Infinity, and Eva-tech composite technologies and are designed for streamlined installation. The bamboo composite boards are scratch, stain, UV/fade, mould, and insect resistant, and offer complete weather resistance for reliable long-term performance.

### CHOOSE YOUR ANGLE

Unlike traditional posts the octagonal Evolver post allows for easy 45° transitions to accommodate odd angled yards and spaces. The additional four flat faces also allow for precision positioning of fence panels, which would often prove difficult with a round post.







## BENEFITS

Weather resistant  
Corrosion resistant  
Directional flexibility  
Slope correction  
Improved versatility



## FENCE & FRAME COMPONENTS



Aluminium octagonal post



45° aluminium  
directional converter



Aluminium sliding  
post cover



Aluminium  
intermediate structural  
decorative beam



Aluminium bottom rail



Aluminium top rail




Aluminium or plastic  
post cap



Steel base


- Bolted mount  
- Embedded mount



Aluminium top rail  
fixing clip



Stainless steel  
crosshead screw



Aluminium bottom rail  
support





**EVOLVER**  
THE EVOLUTION OF FENCING

Available in

**Apex**<sup>®</sup>

**LIGHTWEIGHT, CAPPED BAMBOO FOAMED-PVC FENCE PROFILE**



**Capping material:**

Engineered acrylic polymer

**Core material:**

Bamboo foamed-PVC composite



Dimensions

20 x 210 mm



FSC certified bamboo composite product



Sculpted grain finish






## Apex dual tone colour technology



The Apex dual tone colour range adds an extra layer of colour to each board to enhance the natural look of your composite fence. The variance in shades within a single composite profile beautifully represents the colour tones found in timber, making your composite all the more striking. Dual tone colours are ideal for projects that are all about that natural look.

COLOUR RANGE: SCULPTED GRAIN FINISH

TECHNOLOGY: **Apex**<sup>®</sup>



Aluminium framework & accessories are available in black or silver.







**EVOLVER**  
THE EVOLUTION OF FENCING

Available in

***Infinity***<sup>®</sup>

## CAPPED BAMBOO COMPOSITE FENCE PROFILE



**Capping material:**

Engineered polymer

**Core material:**

Bamboo PE composite



Dimensions

20 x 210 mm



FSC certified bamboo composite product



Brushed softwood finish





## Infinity streaked colour technology




The proprietary manufacturing process used in the creation of Eva-Last *Infinity* achieves an infinitely variable and authentic colour finish, comparable only to natural timber. This advanced and innovative technology allows for incredible colour blending, and an authentic natural and durable finish for composite fencing.

COLOUR RANGE: BRUSHED SOFTWOOD FINISH

TECHNOLOGY: *Infinity*<sup>®</sup>



Aluminium framework & accessories are available in black or silver.








**EVOLVER**  
THE EVOLUTION OF FENCING

Available in

**Eva-tech**®

**BAMBOO COMPOSITE FENCE PROFILE**



**Core & surface material:**  
Bamboo PE composite



Dimensions

20 x 210 mm



Brushed finish



FSC certified bamboo composite product






## Eva-tech colour range surface technology




The Eva-tech colour range offers classic and timeless natural colours in a matte finish to suit the look of your outdoor space. Each colour is specially designed to evoke the essence of natural timber, and each is presented in a soft brushed finish that is both sleek and understated.

COLOUR RANGE: BRUSHED FINISH

TECHNOLOGY: **Eva-tech**<sup>®</sup>




SAVANNA



RUSTEAK





XAVIA



ARUNA

Aluminium framework & accessories are available in black or silver.





# DECORATIVE BALUSTERS

Eva-Last bamboo composite balusters and newels add beauty and function to your outdoor space and can be used as screening, railing (newels), pergolas, or other creative exterior accents. The hollow baluster option offers a fastener-free final look when used as railing (newels), or can be attached with visible fixings as lightweight vertical decorative features. Solid balusters are top fixed and offer a wide range of suitable applications, for a touch of style, shade, or privacy.

## COMPOSITE BALUSTERS ADD BEAUTY & LIVEABILITY

Eva-Last composite balusters are small square or rectangular profiles perfect for creating decorative architectural designs and privacy screens. These versatile profiles can be used in many ways and come in a range of natural colours which allows architects or homeowners to let their imaginations run wild.



CAPPED BAMBOO COMPOSITE BALUSTERS



BAMBOO COMPOSITE BALUSTERS

Eva-Last balusters are available in Infinity (hollow only) and Eva-tech bamboo composite material technologies and are made from lightweight bamboo composite, designed for long-lasting weather resistance, including protection against insects, moisture, and fading.





## TAKE HOME THE BENEFITS



NATURAL LOOK



LOW-MAINTENANCE



FADE RESISTANT



SCRATCH RESISTANT



WEATHER & DECAY  
RESISTANT



ENVIRONMENTALLY  
FRIENDLY





## CAPPED BAMBOO COMPOSITE BALUSTER




35 x 35 mm

### CAPPED, HOLLOW COMPOSITE BALUSTER

The Infinity capped composite baluster, or batten, made from ultra-durable Infinity bamboo composite, is a hollow profile that offers design creativity for vertical applications in the Infinity range of natural colours. Install the balusters vertically as railing (newels), privacy screening, or other creative exterior applications.

Dimensions	35 x 35 mm
Weight	1.4 kg/m
Recommended joist spacing	Application dependent




**Hidden adaptor for railing**  
Uses rubber adaptor for railing applications



**Top fixing for screening**  
Uses HULK composite top fixing screws

COLOUR RANGE: BRUSHED SOFTWOOD FINISH

TECHNOLOGY: *Infinity*




Infinity profiles are available in various lengths. To find out which lengths are available in your region, please visit your local Eva-Last website.







Featured: **Eva-tech balusters, Savanna**  
Hollow decorative baluster





## BAMBOO COMPOSITE BALUSTERS



**35 x 35 mm**

Square profile

### HOLLOW COMPOSITE BALUSTER

The Eva-tech hollow baluster is made from low-maintenance, cost-effective Eva-tech bamboo composite, and is a hollow profile that offers design creativity for vertical applications in the Eva-tech range of natural colours. Install the balusters vertically as railing (newels), privacy screening, or other creative exterior applications.

Dimensions	35 x 35 mm
Weight	1.4 kg/m
Recommended joist spacing	Application dependent



#### Hidden adaptor for railing

Uses rubber adaptor for railing applications



#### Top fixing for screening

Uses colour matching HULK composite top fixing screws



**40 x 30 mm**

Rectangular profile

### SOLID COMPOSITE BALUSTER

The Eva-tech solid baluster is made from low-maintenance, cost-effective Eva-tech bamboo composite, and is a solid profile that offers design creativity for vertical and horizontal applications in the Eva-tech range of natural colours. Install the balusters as privacy screening, pergolas, or other creative exterior applications.

Dimensions	40 x 30 mm
Weight	1.7 kg/m
Recommended joist spacing	Application dependent



#### Top fixing for screening

Uses colour matching HULK composite top fixing screws






Featured: **Eva-tech balusters, Savanna**  
Solid decorative baluster

COLOUR RANGE: BRUSHED FINISH

TECHNOLOGY: **Eva-tech**®




SAVANNA




XAVIA



RUSTEAK



ARUNA





# LIFESPAN™

COMPOSITE ARCHITECTURAL BEAMS

## HYBRID ALUMINIUM BAMBOO COMPOSITE BEAM

Lifespan hybrid aluminium composite beams give you the creative freedom to build more memorable outdoor architectural designs. These multipurpose beams have the functionality, resiliency, and beauty to make your project remarkable. Whether you choose to use Lifespan beams for pergolas, entryways, dramatic screening, or your own creative architectural vision, revel in the feeling of building something truly innovative.

PHOTOGRAPHY CREDIT: CHRIS SCOTT | COPYRIGHT  
© SCOTTY PHOTOGRAPHY

## HIGH PERFORMANCE FOR HIGH EXPECTATIONS


Lifespan beams add style and functionality in a diverse range of applications. Enjoy the shade and privacy of a pergola or screen, or enhance the appeal of your home exterior with beams that give the look of wood without the maintenance hassles. The versatility of Lifespan decorative architectural beams is matched only by their beauty.



PERGOLAS



PRIVACY SCREENS



CLADDING & SOFFITS



DECORATIVE ARCHITECTURE





For more information on Lifespan visit [www.eva-last.com](http://www.eva-last.com)



## TAKE HOME THE BENEFITS



### DESIGN VERSATILITY

Architectural beams offer a diverse range of aesthetic applications



### LIGHTWEIGHT DESIGN

Specialised aluminium core for easier installation at height



### LOW-MAINTENANCE

The look of timber beams without the upkeep



### INCREASED SPAN

Reinforced bamboo composite beam with built-in aluminium core



### DECAY RESISTANT

Resists biodegradation, corrosion, insects, & harsh weather



### FADE RESISTANT

Built-in UV protection for beautiful durability





# LIFESPAN™

COMPOSITE ARCHITECTURAL BEAMS

## REINFORCED MODULAR COMPOSITE

Lifespan architectural beams offer design versatility and increased span thanks to their specialised aluminium core that makes for easier installation at height. The outer coating of low-maintenance bamboo composite resists biodegradation, corrosion, insects, and harsh weather, and offers built-in UV protection for beautiful durability. Enjoy the look of timber beams without the upkeep.

### TRI-EXTRUDED ALUMINIUM BAMBOO COMPOSITE

- 1 Aluminium core
- 2 Engineered flexible adhesive
- 3 Outer protective composite coating (Eva-tech surface technology)



## INCREASED SPAN

Lifespan architectural beams offer the span capability of much heavier, solid beams thanks to their built-in aluminium core. This core significantly enhances the dimensional and flexural stability of the beam, while the Eva-tech bamboo composite coating provides a realistic timber aesthetic, as well as resistance to severe climatic and biodeterioration conditions.





PHOTOGRAPHY CREDIT: CHRIS SCOTT | COPYRIGHT  
© SCOTTY PHOTOGRAPHY







PHOTOGRAPHY CREDIT: PATRICK KING PHOTOGRAPHY  
COPYRIGHT © RADISSON RED HOTEL

## PROFILE SIZE OPTIONS

Lifespan hybrid aluminium composite beams are available in a range of sizes and shapes to suit your outdoor project design. Lifespan has been designed to meet industrial norms. However, building codes and standards may differ between jurisdictions or countries. Be sure to consult your local building codes before installing Lifespan composite beams.



**Dimensions:** 50 x 30 mm

**Weight:** 0.8 kg/m



**Dimensions:** 100 x 30 mm

**Weight:** 1.3 kg/m




**Dimensions:** 150 x 35 mm

**Weight:** 2.6 kg/m



**Dimensions:** 150 x 50 mm

**Weight:** 3.3 kg/m



**Dimensions:** 97 x 97 mm

**Weight:** 4.6 kg/m

**Dimensions:** 150 x 150 mm

**Weight:** 8.1 kg/m

### End caps



End caps and post caps are available allowing for a neat finish to your Lifespan composite beams.







# LIFESPAN<sup>TM</sup>

COMPOSITE ARCHITECTURAL BEAMS

PHOTOGRAPHY CREDIT: PATRICK KING PHOTOGRAPHY  
COPYRIGHT © RADISSON RED HOTEL

COLOUR RANGE: BRUSHED FINISH

TECHNOLOGY: **Eva-tech**<sup>®</sup>





## TRI-EXTRUDED ALUMINIUM BAMBOO COMPOSITE



50 x 30 mm

### DECORATIVE BEAM

The 50 x 30 mm Lifespan decorative profile enhances your outdoor space with the look of a traditional timber baluster. This compact batten sized profile is a popular choice for creating durable screens, gates, pergolas and other low-maintenance outdoor architectural features.

#### Available in Eva-tech colour range


Dimensions	50 x 30 mm
Standard length	5,8 m
Weight	0.8 kg/m

### Hollow aluminium composite beam



#### End caps available

Colour matched end caps create a finished look on beam ends.



100 x 30 mm

### DECORATIVE BEAM

The 100 x 30 mm Lifespan decorative profile is a fan favourite in the Lifespan range, ideal for creating striking and durable outdoor pergolas, beams, privacy screens, or other attractive architectural features. Enjoy the look of timber beams without the upkeep and environmental toll.

#### Available in Eva-tech colour range

Dimensions	100 x 30 mm
Standard length	5,8 m
Weight	1.3 kg/m

### Hollow aluminium composite beam



#### End caps available

Colour matched end caps create a finished look on beam ends.





Featured: **Lifespan, Eva-tech Savanna**  
Rectangular (50 x 30 mm) decorative beam





## TRI-EXTRUDED ALUMINIUM BAMBOO COMPOSITE



150 x 35 mm

### DECORATIVE BEAM

The 150 x 35 mm Lifespan decorative beam adds a sense of drama to your outdoor space with its uniquely broad but still slim dimensions. Create the perfect privacy screen or embrace the aesthetic of composite beams as a pergola or other outdoor decorative features.

#### Available in Eva-tech colour range


Dimensions	150 x 35 mm
Standard length	5,8 m
Weight	2.6 kg/m

### Hollow aluminium composite beam



#### End caps available

Colour matched end caps create a finished look on beam ends.



150 x 50 mm

### DECORATIVE BEAM

The 150 x 50 mm Lifespan decorative beam is a larger rectangular profile in the Lifespan range and creates a stately aesthetic for your outdoor space, ideal for use as an oversized pergola beam, privacy screen, or in conjunction with smaller Lifespan beams within the system.

#### Available in Eva-tech colour range

Dimensions	150 x 50 mm
Standard length	5,8 m
Weight	3.3 kg/m

### Hollow aluminium composite beam



#### End caps available

Colour matched end caps create a finished look on beam ends.





Featured: **Lifespan, Eva-tech Rusteak**  
Rectangular (100 x 30 mm) decorative beam





## TRI-EXTRUDED ALUMINIUM BAMBOO COMPOSITE



97 x 97 mm


### POST

The 97 x 97 mm Lifespan post profile is a low-maintenance, high performing hybrid aluminium composite post. It is most often used as durable vertical railing post, but can also serve to create other showstopping outdoor accents, such as pergolas and other architectural design features.

#### Available in Eva-tech colour range

Dimensions	97 x 97 mm
Standard length	5,8 m
Weight	4.6 kg/m

### Hollow aluminium composite post



#### Post caps available

Post caps and skirts create a finished look for posts.



150 x 150 mm


### POST

The 150 x 150 mm Lifespan post profile is a substantial beam that brings the essence of large wooden posts without the maintenance, environmental toll, or moisture-related issues of timber. It is most often used as uprights for pergolas or other one-of-a-kind architectural details.

#### Available in Eva-tech colour range

Dimensions	150 x 150 mm
Standard length	5,8 m
Weight	8.1 kg/m

### Hollow aluminium composite post



#### Post caps available

Post caps and skirts create a finished look for posts.





Featured: Lifespan, Eva-tech Xavia  
Decorative pergola and posts





## INTEGRATED COMPOSITE RAILING SYSTEMS

RapidRail eco-friendly composite railing offers long-lasting reliability and safety in a selection of natural colours and styles, and is designed to work with a variety of decking materials and accessories. As its name suggests, RapidRail installs rapidly and easily using smart configurations which reduce the number of connections required. Available in Infinity or Eva-tech composite technologies by Eva-Last, RapidRail offers protection from insects, moisture issues, decay, and harsh weather.




## SAFER, STRONGER, STUNNING RAILING

RapidRail combines safety and artistry for a composite railing system that makes your space more functional, more secure, more appealing, and virtually maintenance free. Make your deck a truly liveable space with innovative railing that provides a strong sense of security and promotes a more hassle-free way of life.

### Specifications

Height	1180 mm
Section length	1806 mm

Note: Matching post caps and skirting available







**Infinity®**



**Eva-tech®**



## TAKE HOME THE BENEFITS



### LOW MAINTENANCE

Requires only the most basic of cleaning for optimal longevity



### MOISTURE RESISTANT

Protection from mould, mildew, rot, & other moisture issues



### INSECT RESISTANT

Protection from damage caused by termites & other insects



### RAPID & EASY INSTALLATION

Designed for precise, efficient, & cost-effective installation



### FULLY CUSTOMISABLE

Compatible with other railing styles & materials



### ECO-FRIENDLY

Holistically sustainable manufacturing & use of raw materials




## INFINITY CAPPED BAMBOO COMPOSITE RAILING

RapidRail balustrades in Infinity composite technology is available in the complete range of natural-looking Infinity colours which beautifully embody the look of traditional timber railing. Each colour is thoughtfully created with advanced colour streaking technology to allow for an impressive aesthetic appeal, complete with the subtle nuances and shades found in nature.

COLOUR RANGE: BRUSHED SOFTWOOD FINISH

TECHNOLOGY: *Infinity*®












**RAPIDRAIL™**  
INTEGRATED RAILING SYSTEM

## EVA-TECH BAMBOO COMPOSITE RAILING


RapidRail balustrade in Eva-tech composite technology is available in the classic Eva-tech colour range. Each of these colours is specifically designed to evoke the essence of a particular timber type, and each is presented in a handsome, understated matte finish.

COLOUR RANGE: BRUSHED FINISH

TECHNOLOGY: **Eva-tech®**




SAVANNA



RUSTEAK



XAVIA



ARUNA







## RELIABLE DECKING FASTENER SYSTEMS

HULK Fasteners are purposefully designed to make composite or timber decking installations more efficient and straightforward by providing highly durable hidden fastener options that fit neatly into the edges of grooved boards, as well as a range of colour matching top fixing screws. These fasteners are created to match the warranties of the leading composite decking boards on the market, and are available in a range of colours to complement the look of your decking of choice.

## DESIGNED FOR PROFESSIONALS. PERFECT FOR NOVICES.

HULK Fasteners offer higher performance and are a more efficient and subtle way to secure your decking and trim boards without disrupting its final look.


### HULK Fasteners hidden clips

Eva-Last recommends HULK Fasteners decking clips to provide a reliable long-lasting hold for composite decking boards. Both the S-Series (S6 and S9) and Chain hidden clip systems by HULK provide a neat and discreet fastening option for a flawless finished surface. Packs and starter kits include a drill bit and one screw per clip.




### HULK composite top fixing screws

Colour matching composite decking and trim screws are used for top fixing non-grooved and fascia or deck trim profiles to metal or timber frames, providing an invisible finish.



- 1 Hidden Clip & Clip Screw
- 2 Composite Decking Screw (CDS) for timber frames or Metal Decking Screw (MDS) for metal frames
- 3 Composite Trim Screw for timber frames or Metal Trim Screw for metal frames






For more information on HULK Fasteners visit [www.eva-last.com](http://www.eva-last.com)



## FASTENED. FOR LIFE.



Corrosion  
Resistant



Colour Matched  
Aesthetic



Neat Surface  
Finish



Fast and Easy  
Installation



No Pre-drilling  
Required



# S-SERIES CLIP

Eva-Last created the S-Series (Halo) clip in 2010, designed to match the life expectancy and durability of Eva-Last composite decking materials. This product laid the foundation for the hidden fastener: no more protruding screws, no more ruined finishes, no more untidy aesthetics.

## S-SERIES HIDDEN DECKING CLIPS



### S6 CLIP

Use for fastening grooved deck boards with a foot height of approximately 6 mm; compatible with metal and timber clip screws



### S9 CLIP

Use for fastening grooved deck boards with a foot height of approximately 9 mm; compatible with metal and timber clip screws

## CLIP SCREWS

### METAL CLIP SCREW



**CS**  
**CARBON**  
**STEEL**  
**C1022**

Designed to fasten HULK hidden deck clips onto metal frames without having to pre-drill (on metal frames 2 mm thick or less)


**COMPATIBLE WITH S-SERIES CLIP AND USED WITH CHAIN COLLATED CLIP**



### TIMBER CLIP SCREW




**SS**  
**STAINLESS**  
**STEEL**  
**SS316**

  
C5 / A4  
Marine  
Grade

For fastening HULK hidden deck clips onto timber frames without having to pre-drill

**CS**  
**CARBON**  
**STEEL**  
**C1022**

**COMPATIBLE WITH S-SERIES CLIP AND USED WITH CHAIN COLLATED CLIP**



### Key features of HULK hidden clip screws:

1. The pan head works perfectly with HULK clips (S-Series and Chain collated clip).
2. The flat bottom shape of the screw is designed to rest securely on top of the HULK clips, preventing movement and damage.
3. The thread and shaft work seamlessly with the substructure and HULK clip.
4. The tip of the clip screws and top fixing screws are the same, making them highly versatile.
5. Both HULK clips and clip screws are dark in colour, camouflaging them between deck boards.






S-SERIES clip and screw combo packs



Standalone clip packs



Standalone screw packs







## UNIVERSAL COLLATED HIDDEN DECK FASTENER


Chain collated clips are innovatively engineered to work with composite or timber boards of varying thickness and with timber or metal frames for a more cost-effective and efficient installation. Chain offers superior durability and strength, a discreet appearance, and easier post-installation access and board removal.

A PRODUCT BY  **HULK FASTENERS.**™

## GET THE JOB DONE FASTER.


Chain collated clips save you time and money by streamlining installation with pre-loaded screws that offer cutting-edge performance for the entire lifespan of your deck. Enjoy a simpler installation and a more secure long-term fastener that complements the overall look of your deck.

Stainless steel clip with  
polymer coating



Pre-loaded with screw  
for ease of installation





## FEATURES AND BENEFITS



### MORE EFFICIENT INSTALLATION

Collated system comes pre-loaded with screws for quicker installation



### DURABLE

Stainless steel clip with a protective polymer coating for extended outdoor longevity



### INNOVATIVE ENGINEERING

Cost-effective use of materials without affecting grip strength or overall clip performance



### UNIVERSAL APPLICATION

Works with timber & composite boards of variable thickness & groove depths



### STRENGTH IN SIZE

Proven strength in uplift holding power & preventing lateral movement of boards




### EASIER POST-INSTALLATION ACCESS

More convenient post-installation board removal with direct overhead fastener access




# eChain™

## Collated decking clip



Collation with screw for timber frames



Collation with screw for metal frames

## CHAIN COLLATED CLIPS


Chain collated clips offer a smarter solution for creating an outdoor oasis. By preloading high quality and durable screws into equally reliable clips. Chain collated clips make installation more efficient, and are suitable for use by professionals or novices. Like all Eva-Last products, Chain collated clips are built on the principle of longevity.

## CHAIN PACK



### 900 Chain COLLATED CLIPS


Six boxes in a pack; 150 clips per box







**chain™**  
COLLATED CLIP HAND TOOL



## CHAIN HAND TOOL

The Chain hand tool adds value to the Chain collated clip system by maximising installation efficiency. The hand tool creates precise fastening thanks to its built-in depth control system that eliminates installation errors and weak connections. The hand tool is compatible with a wide range of composite and timber board sizes, ergonomically designed for ease of use, and made from high quality materials for long-lasting reliability.

## EXPANSION KITS




### 1 Chain HAND TOOL

- 1 collated clip hand tool
- 1 T15 (50 mm) depth setting bit








## COLOUR MATCHED COMPOSITE TOP FIXING SCREWS

HULK Fasteners composite deck and trim screws are available in nine different colours designed to match and blend in with decking boards from all leading composite decking manufacturers. Choose the colour that matches your decking boards for a discreet final look. Please check your regional availability of screw colours.

### FOR TIMBER FRAMES

Available in stainless steel and carbon steel



DARK BROWN

BROWN

LIGHT BROWN

RED BROWN

TAN BROWN

BEIGE


WHITE

LIGHT GREY

DARK GREY

### FOR METAL FRAMES

Available in carbon steel





# COMPOSITE DECKING SCREWS

## CDS - Composite Deck Screw

For fastening (top-fixing) composite boards to timber frames



Carbon steel: fully coated

Available in dark brown, light brown, brown, red brown, tan brown, beige, dark grey, light grey, and white




Stainless steel: 316 head coated

Available in dark brown, light brown, brown, red brown, tan brown, beige, dark grey, light grey, and white

## MDS - Metal Deck Screw

For fastening (top-fixing) composite boards to metal frames



Carbon: 2 000 hour coating

Available in dark brown, light brown, brown, red brown, tan brown, beige, dark grey, light grey, and white

## 75 COMPOSITE DECK SCREWS (for timber or metal frames)



### 75 Pack TOP FIXING SCREWS

75 carbon steel or stainless steel composite deck screws

1 drill bit



HULK Fasteners are recommended for use with all Eva-Last installations. HULK composite deck and trim screws are available for timber and metal frames.

## 150 COMPOSITE DECK SCREWS (for timber or metal frames)



### 150 Pack TOP FIXING SCREWS

150 carbon steel or stainless steel composite deck screws

1 drill bit



HULK Fasteners are recommended for use with all Eva-Last installations. HULK composite deck and trim screws are available for timber and metal frames.






## COLOUR MATCHED COMPOSITE TRIM SCREWS

HULK Fasteners trim screws are specially engineered to fasten composite trim boards or fascia boards to a structure. Choose between the composite trim screws designed to work with timber substructures and composite trim screws created to work with metal substructures. Each type of trim screw offers unique dimensions for use with either wood or metal framing, but both types of trim screws are available in stainless steel and carbon steel and in a wide range of colours to match your composite fascia or trim boards.

### FOR TIMBER FRAMES

Available in stainless steel and carbon steel



DARK BROWN

BROWN

LIGHT BROWN

RED BROWN

TAN

BEIGE


WHITE

LIGHT GREY

DARK GREY

### FOR METAL FRAMES


Available in carbon steel





## COMPOSITE TRIM SCREWS

M5.5 x 48 mm composite trim screws  
for use with timber frames



M5.5 x 35 mm composite trim screws  
for use with metal frames

## 75 COMPOSITE TRIM SCREWS (for timber or metal frames)



### 75 Pack TOP FIXING SCREWS

75 carbon steel or stainless steel composite trim screws  
1 drill bit



HULK Fasteners are recommended for use with all Eva-Last installations. HULK composite deck and trim screws are available for timber and metal frames.

## 150 COMPOSITE TRIM SCREWS (for timber or metal frames)



### 150 Pack TOP FIXING SCREWS

150 carbon steel or stainless steel composite trim screws  
1 drill bit



HULK Fasteners are recommended for use with all Eva-Last installations. HULK composite deck and trim screws are available for timber and metal frames.





## TIMBER FRAME SCREWS FOR WOOD STRUCTURES

HULK Fasteners timber frame screws are specially designed for fastening timber frames by creating a secure hold between timber joists, timber joists to timber ledger boards, or timber joists to timber cross beams. The timber frame screw is available in two sizes to suit your specific project.

### Timber frame screw



Carbon: Zinc epoxy coated 2 000 hours  
80 mm and 100 mm

Available in golden colour to match yellow softwoods and provide optimal corrosion resistance

### 100 TIMBER FRAME SCREWS (for timber frames)



#### 100 Pack TIMBER FRAME SCREWS

100 timber frame screws

1 T30 drill bit



HULK Fasteners are recommended for use with all Eva-Last installations. HULK timber frame screws are available for timber frames.





Featured: **Infinity IS, Swiss Oak**  
Single sided grooved and square edge decking Eva-Last





# tier

*Fabulous, functional, forever.*

## LOVE *your floors*

TIER flooring is a statement in style and a step forward for livability in your indoor space. Now available in two quality SPC product ranges, TIER gives your home or business durable and long-lasting floors which look like wood but with the long-term performance features of Stone Polymer Composite. Choose from the TIER Classic range or the high performing TIER Element range with advanced digital printing to find what best suits your needs or project specifications.



## A BETTER FLOORING FOR *a greener tomorrow*

TIER is setting the benchmark for green manufacturing processes. TIER high performance products are created using solar energy, and are ultra-low maintenance, water resistant alternatives to actual timber products. Choosing TIER means choosing a better flooring and a greener tomorrow.

### TIER CERTIFICATIONS:



HEAT  
RESISTANT



STABLE



WATER  
RESISTANT



SOUND  
SUPPRESSION



CLICK  
INSTALLATION



ANTIMICROBIAL  
PROTECTION



VOC FREE






For more information on TIER visit [www.eva-last.com](http://www.eva-last.com)



# FLOORING

*to love and live on*

TIER is designed for versatility as well as durability. TIER can be installed in any room in your house or commercial space. Let the attractive, low-maintenance, and high-performance features of TIER enhance the appeal of your home or business.



## MADE WITH SOLAR ENERGY

TIER flooring is manufactured using solar power. This greatly reduces its carbon footprint to help protect the Earth and bring you peace of mind.



## EUROCLASS B<sub>fi</sub> - s1 FIRE RATED

TIER flooring is Euroclass B<sub>fi</sub> - s1 fire rated, making it a safer and more reliable product for your indoor application.







CLASSIC  
**tier**

*Fabulous, functional, forever.*

RESIDENTIAL

## RELIABLE SPC INDOOR FLOORING

TIER Classic flooring provides the beauty of wood in a Stone Polymer Composite (SPC) which is heat and water resistant, highly stable, VOC free, and offers an easy click installation system.



STABLE



WATER  
RESISTANT



HEAT  
RESISTANT



CLICK  
INSTALLATION



VOC FREE

## DIVERSE APPLICATIONS

*Beautiful in any home*



BEDROOM



BATHROOM



KITCHEN



LIVING AREAS

TIER Classic indoor flooring is perfect for a range of installations. From bedrooms to bathrooms, kitchens to living areas, TIER Classic flooring will guarantee satisfaction with every application.



## SPC INDOOR FLOORING

*With CarbideCore technology*



### WEAR LAYER

UV, scratch and slip resistant

### DECORATIVE LAYER

Patterned woodgrain film

### CARBIDECORE


Manufactured with solar energy

TIER Classic flooring offers an embossed wear layer, giving your floor a natural and tactile feeling. Anti-slip features and UV protection provide greater longevity, safety, and style.

## PROFILE

TIER Classic is designed for versatility as well as durability. TIER Classic is a 4.3 mm profile which consists of a 4 mm CarbideCore and a 0.3 mm wear layer. This offers an AC3 wear rating, ideal for residential applications, with a 25-year warranty.

4.3 mm



181 mm

## 2G CLICK SYSTEM

2G Angling technology offers a strong, robust, and reliable method for installing flooring. This type of click system involves angling flooring panels to engage the locking mechanism. This results in sturdy and dependable horizontal locking, preventing gaps between planks, as well as vertical locking which ensures no unwanted height differences across the floor.







## SPECIFICATIONS AND WARRANTY

### TIER CLASSIC SPECIFICATIONS

Total thickness	Dimensions	Boards per box
4.30 mm	181 x 1 220 mm	10
Wear layer thickness	Core thickness	Mass per board
0.30 mm	4.00 mm	1.95 kg
m <sup>2</sup> per board	m <sup>2</sup> per box	
0.22 m <sup>2</sup>	2.21 m <sup>2</sup>	
Wear layer type	Click system	
Engineered polymer	2G Groove	

### WARRANTY CLASS

Domestic



Abrasion class\*

AC3

Use class\*\*

23

\*As defined in BS EN 13329  
\*\*As defined in BS EN ISO 10582







# CLASSIC TIER


*Fabulous, functional, forever.*

COMMERCIAL

## RELIABLE, DURABLE SPC FLOORING

This TIER Classic commercial offering, will be available to order, specifically for large commercial projects where the cost of the digital range is a limitation to winning the project. It will also be recommended to sell this product into Africa, where we know the sub-floors are often do not meet the standard required.

### SPC INDOOR FLOORING *With CarbideCore technology*



#### WEAR LAYER

UV, scratch and slip resistant

#### DECORATIVE LAYER

Patterned woodgrain film

#### CARBIDECORE

Manufactured with solar energy

#### SOFT INSULATING FOAM

Reduces noise and allows for a softer underfoot feeling

TIER Classic commercial flooring offers an embossed wear layer, giving your floor a natural and tactile feeling. Anti-slip features and UV protection provide greater longevity, safety, and style. Together with a insulating and noise reducing underlay for a softer feeling underfoot.



## PROFILE

TIER Classic commercial profile has a 5,5mm core with a 0,5mm wear layer and a 1,0mm IXPE layer. An AC4 wear rating, this product is suitable for both commercial (5 year warranty) and residential (25 year warranty).

7 mm



181 mm

## 2G CLICK SYSTEM

2G Angling technology offers a strong, robust, and reliable method for installing flooring. This type of click system involves angling flooring panels to engage the locking mechanism. This results in sturdy and dependable horizontal locking, preventing gaps between planks, as well as vertical locking which ensures no unwanted height differences across the floor.



## SPECIFICATIONS AND WARRANTY


CLASSIC COMMERCIAL SPECIFICATIONS		
Total thickness	Dimensions	Boards per box
7.00 mm	181 x 1 220 mm	8
Underlay thickness	Core thickness	Mass per board
1.00 mm	5.50 mm	2.94 kg
Wear layer thickness	m <sup>2</sup> per board	m <sup>2</sup> per box
0.50 mm	0.22 m <sup>2</sup>	1,767 m <sup>2</sup>
Wear layer type	Click system	
Engineered polymer	2G Groove	

WARRANTY CLASS	
Commercial	Domestic
	
Abrasion class*	Abrasion class*
AC4	AC4
Use class**	Use class**
32	32
*As defined in BS EN 13329	**As defined in BS EN ISO 10582





## TIER CLASSIC COLOUR RANGE



**NOTE:** Due to printing and/or screen variations, colours in this brochure may differ from the actual products. Physical samples will be sent for colour finalisation.









*Fabulous, functional, forever.*

RESIDENTIAL

COMMERCIAL

## LUXURY SPC INDOOR FLOORING

TIER Element luxury flooring provides the beauty of wood with advanced digital print technology and EIR surface embossing in a thicker, more durable Stone Plastic Composite (SPC) profile which is heat and water resistant, highly stable, VOC free, and offers sound suppression and an easy click installation system.



NATURAL  
AESTHETIC



MINIMAL REPEAT  
PATTERN



SOUND  
SUPPRESSION



WATER  
RESISTANT



CLICK  
INSTALLATION

## DIVERSE APPLICATIONS

*Beautiful in any home, office or commercial setting*



HOME



OFFICE



RETAIL



HOSPITALITY

TIER Element indoor flooring is designed for versatility as well as durability. TIER Element can be applied to any room in your residential or commercial space. Let the low-maintenance and high-performance features of the TIER Element range enhance the look and functionality of your home or business.



## LUXURY SPC INDOOR FLOORING

*With CarbideCore technology*



### EMBOSSSED WEAR & PRINT LAYER

UV, scratch, and slip resistant photorealistic print technology

### CARBIDECORE

Manufactured with solar energy

### SOFT INSULATING FOAM


Reduces noise and allows for a softer underfoot feeling

TIER Element flooring offers cutting-edge EIR embossing with advanced digital photo-realistic print technology in a 6.5 mm profile, giving your floor a more natural look and embossing that mirrors the timber grain and pattern. Anti-slip and UV protection provide greater longevity, safety, and style.

## PROFILE

TIER Element is a 6.5 mm profile comprised of a 5.35 mm CarbideCore with a 0.15 mm wear coating and print layer. This is combined with a 1 mm IXPE layer. With an AC4 wear rating, this product is suitable for use in both residential and commercial applications.


6.5 mm



181 mm

## 2G CLICK SYSTEM

2G Angling technology offers a strong, robust, and reliable method for installing flooring. This type of click system involves angling flooring panels to engage the locking mechanism. This results in sturdy and dependable horizontal locking, preventing gaps between planks, as well as vertical locking which ensures no unwanted height differences across the floor.







## SPECIFICATIONS AND WARRANTY

### TIER CLASSIC SPECIFICATIONS

Total thickness	Dimensions	Boards per box
6.50 mm	181 x 1 520 mm	7
Underlay thickness	Core thickness	Mass per board
1.00 mm	5,35 mm	3.42 kg
Wear coating thickness	m <sup>2</sup> per board	m <sup>2</sup> per box
0.15 mm	0.27 m <sup>2</sup>	1.93 m <sup>2</sup>
Click system		
2G Groove		

### WARRANTY CLASS

Commercial	Domestic
	
Abrasion class*	Abrasion class*
AC4	AC4
Use class**	Use class**
32	32

\*As defined in BS EN 13329

\*\*As defined in BS EN ISO 10582







## COLOUR RANGE

 White Ash STW138-7	 STWA002-2	 STW013-9	 STW052-8
 Danish Oak STW014-19	 STWB017-7	 STWB035-1	 STW138-4
 Golden Hickory STW128-1	 STW014-16	 STW0222-3	 STW037-1
 Honey Oak STW138-1	 STWB020-2-B	 STWA005-3	 STW217-2
 European Oak STW179-1	 STW056-1	 STW040-1	 STW169-6


**NOTE:** Due to printing and/or screen variations, colours in this brochure may differ from the actual products. Physical samples will be sent for colour finalisation.





## LOW ENVIRONMENTAL IMPACT

Holistically sustainable manufacturing & use of raw materials



# CHOOSE SUSTAINABLE BUILDING MATERIALS



## RENEWABLE RESOURCES & RENEWABLE ENERGY

We believe that how we manufacture is just as important as what we manufacture when it comes to going green. That's why we've traded in fossil fuels for renewable energy. Our products use solar power as part of our manufacturing process. We are fully committed to bringing you a product that's holistically sustainable.

Every Eva-Last outdoor range pairs recycled raw ingredients with bamboo for a stronger, more sustainable composite. Bamboo rejuvenates over 30 times faster than traditional hardwoods and it releases 35% more oxygen into our air. Eva-Last is internationally recognised for our commitment to the environment. We're proud of the work we do to promote environmental sustainability, and invite you to choose timber alternatives that are gentle on the Earth.

- Made from recycled materials
- No trees felled
- No treatment or toxic chemicals required for maintenance
- Solar power used in the manufacturing process
- Reduced impact on landfills
- Reduced carbon footprint

### Head office

Phone: +27 10 593 9220

### Sales

E-mail: [sales@eva-last.com](mailto:sales@eva-last.com)

**EVA-LAST**<sup>®</sup>  
INSPIRED BY NATURE, DESIGNED FOR LIFE.



[www.eva-last.com](http://www.eva-last.com)